

HISTORIC PRESERVATION COMMISSION MEETING

AGENDA

Thursday, May 17, 2012 at 7:00 p.m.

Municipal Building, 26 Union Street, South

CALL TO ORDER

ORDER OF BUSINESS

Approval of Minutes

STAFF UPDATES/DISCUSSIONS

New Business:

H-05-12

Alex Porter has submitted a Certificate of Appropriateness application in order to install a new rear yard picket fence and deck staircase to the property located at 151 Spring St. NW. (PIN 5620-79-0041) **APPROVED**

H-06-12

Andrea Klauss has submitted a Certificate of Appropriateness application in order to modify a porch and enclose two rear windows on the home located at 392 Union St. S. (PIN 5630-14-6214) **APPROVED**

Old Business:


ADJOURNMENT

In accordance with ADA Regulations, please note that anyone who needs an accommodation to participate in the meeting should notify Development Services Department at 704/920-5152 at least twenty-four (24) hours prior to the meeting.



H-05-12
Alex Porter

Fence and
Staircase



2



Source: City of Concord
Development Services Department


Disclaimer

These maps and products are designed for general reference only and data contained herein is subject to change. The City Of Concord, it's employees or agents make no warranty of merchantability or fitness for any purpose, expressed or implied, and assume no legal responsibility for the information contained therein. Data used is from multiple sources with various scales and accuracy. Additional research such as field surveys may be necessary to determine actual conditions.



H-06-12
Andrea Klauss

Porch and
Rear Windows



2



Source: City of Concord
Development Services Department

Disclaimer

These maps and products are designed for general reference only and data contained herein is subject to change. The City Of Concord, it's employees or agents make no warranty of merchantability or fitness for any purpose, expressed or implied, and assume no legal responsibility for the information contained therein. Data used is from multiple sources with various scales and accuracy. Additional research such as field surveys may be necessary to determine actual conditions.